

**D5384-1 BRACKET**

**UNDER REVIEW**


URF17-511 WK 17.02.02

- NOTES:**
- 1) MATERIAL: MAKE FROM D5384-1F
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
  - 7) WEIGHT: 0.10 lbs


**RELEASED**  
2016-10-05  
EEN16-588

APPROVED

A	NEW ISSUE	CC	16.01.04
REV.	DESCRIPTION	BY	DATE
DESIGN	CC	<b>DART AEROSPACE USA, INC</b> EUGENE, OREGON, USA	
DRAWN	CC		
CHECKED	AK	DRAWING NO.	REV. A
MFG. APPR.	JLM	D5384	SHEET 1 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	16.01.04	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	







**D5384-1F FLAT PATTERN**

**UNDER REVIEW**

URF17-511 WK 17.02.02

- NOTES:**
- 1) MATERIAL: 0.063" THICK 304/316 SS SHEET ANNEALED  
PER MIL-S-5059  
OR AMS 5513 (304) OR AMS 5524 (316)  
OR ASTM A240 OR ASME SA240  
REF DART SPEC M304S16GA
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 0.10 lbs

**RELEASED**  
2016-10-05

APPROVED

DESIGN	CC
DRAWN	CC
CHECKED	AK
MFG. APPR.	JLM
APPROVED	HS
DE APPR.	DS
DATE	16.01.04

**DART AEROSPACE USA, INC**  
EUGENE, OREGON, USA

DRAWING NO. **D5384** REV. A  
SHEET 3 OF 3

TITLE **BRACKET** SCALE NTS

COPYRIGHT © 2016 BY DART AEROSPACE USA, INC  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC